

	Type	Hits	Search Text	DBs
1	BRS	11873	menu and hierarch\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	8237	(menu and hierarch\$5) and @ad<20010430	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	1871	((menu and hierarch\$5) and @ad<20010430) and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	748	((((menu and hierarch\$5) and @ad<20010430) and 345.clas.) and tree	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	524	(((((menu and hierarch\$5) and @ad<20010430) and 345.clas.) and tree) and icon	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	398	((((((menu and hierarch\$5) and @ad<20010430) and 345.clas.) and tree) and icon) and size	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	393	((((((((menu and hierarch\$5) and @ad<20010430) and 345.clas.) and tree) and icon) and size) and (location or position or arrangement or layout)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	288	(((((((((menu and hierarch\$5) and @ad<20010430) and 345.clas.) and tree) and icon) and size) and (location or position or arrangement or layout)) and (track\$3 or statistic or history or predict or (past adj us\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	169	((((((((((menu and hierarch\$5) and @ad<20010430) and 345.clas.) and tree) and icon) and size) and (location or position or arrangement or layout)) and (track\$3 or statistic or history or predict or (past adj us\$3))) and ((drop adj down) or expand\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	876	(menu and hierarch\$5).ab.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	754	((menu and hierarch\$5).ab.ti.) and @ad<20010430	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	42	((((menu and hierarch\$5).ab.ti.) and @ad<20010430) and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	736	(handicap\$3 or (physical\$2 adj (disab\$5 or impair\$4))) and menu	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	148	((handicap\$3 or (physical\$2 adj (disab\$5 or impair\$4))) and menu) and hierarch\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	96	((((handicap\$3 or (physical\$2 adj (disab\$5 or impair\$4))) and menu) and hierarch\$4) and @ad<20010430	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	34	((((((handicap\$3 or (physical\$2 adj (disab\$5 or impair\$4))) and menu) and hierarch\$4) and @ad<20010430) and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
17	BRS	18	345/865.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	708	345/810.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	527	345/810.ccls. and @ad<20010430	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	217	(345/810.ccls. and @ad<20010430) and ((alternat\$4 or option\$3) with (view or display))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	80	((345/810.ccls. and @ad<20010430) and ((alternat\$4 or option\$3) with (view or display))) and (hierarch\$4 or tree)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	49	((345/810.ccls. and @ad<20010430) and ((alternat\$4 or option\$3) with (view or display))) and (hierarch\$4 or tree)) and icon	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	228	(345/810.ccls. and @ad<20010430) and ((alternat\$4 or option\$3) with (view or display or structure))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	88	((345/810.ccls. and @ad<20010430) and ((alternat\$4 or option\$3) with (view or display or structure))) and (hierarch\$4 or tree)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	BRS	55	((345/810.ccls. and @ad<20010430) and ((alternat\$4 or option\$3) with (view or display or structure))) and (hierarch\$4 or tree)) and icon	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	56	((345/810.ccls. and @ad<20010430) and ((alternat\$4 or option\$3) with (view or display or structure))) and (hierarch\$4 or tree)) and (track\$3 or statistic or history or predict or (past adj us\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	35	((345/810.ccls. and @ad<20010430) and ((alternat\$4 or option\$3) with (view or display or structure))) and (hierarch\$4 or tree)) and icon) and (track\$3 or statistic or history or predict or (past adj	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	136	switch with between with menu with display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	20	(switch with between with menu with display) and hierarch\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	19	((switch with between with menu with display) and hierarch\$5) and @ad<20010430	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	46	display adj2 hierarchical adj2 menu	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	30	(display adj2 hierarchical adj2 menu) and @ad<20010430	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	37	change adj menu adj display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
34	BRS	29	(change adj menu adj display) and @ad<20010430	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	BRS	2	5790820.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	BRS	4	5790820.URPN.	USPAT
37	BRS	26	("4029915" "4042777" "4547860" "4567567" "4586035" "4686522" "4772882" "4789962" "4891777" "4896291" "5087910" "5117455" "5186629" "5198802" "5250929" "5251125" "5270709" "5283560" "5287448" "5317687" "5365360" "5367298" "5367625" "5371844" "5375200" "5384910") .PN.	USPAT
38	BRS	541	345/853.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	BRS	469	345/853.ccls. and @ad<20010430	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	BRS	77	(345/853.ccls. and @ad<20010430) and ((pull or drop) adj down adj menu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	BRS	7	("4601003" "5305435" "5751287" "5969720" "6133918" "6240421" "6377286") .PN.	USPAT
42	BRS	0	6498613.URPN.	USPAT
43	BRS	0	6498613.URPN.	USPAT
44	BRS	2	5790820.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	BRS	541	345/853.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	BRS	31	(345/853.ccls. and @ad<20010430) and ((variable or var\$3 or different or alter\$3) adj size)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	BRS	18	(345/853.ccls. and @ad<20010430) and tree and (icon with size)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	BRS	1	(345/853.ccls. and @ad<20010430) and tree and (larger adj icon)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	BRS	4	(345/853.ccls. and @ad<20010430) and tree and ((large\$ or big\$3) adj icon)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
50	BRS	0	(345/853.ccls. and @ad<20010430) and tree and (((different or varied) adj size) adj icon)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
51	BRS	9	(345/853.ccls. and @ad<20010430) and tree and (((different or varied) adj size))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	BRS	38	5619632.URPN.	USPAT

	Type	Hits	Search Text	DBs
53	BRS	710	345/810.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	BRS	526	345/810.ccls. and @ad<20010419	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	BRS	499	(345/810.ccls. and @ad<20010419) and user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	BRS	141	((345/810.ccls. and @ad<20010419) and user) and track	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
57	BRS	161	((345/810.ccls. and @ad<20010419) and user) and track\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
58	BRS	26	((((345/810.ccls. and @ad<20010419) and user) and track\$3) and tree	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
59	BRS	64	345/811.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
60	BRS	46	345/811.ccls. and @ad<20010419	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
61	BRS	7	(345/811.ccls. and @ad<20010419) and (user with history)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
62	BRS	25	5420975.URPN.	USPAT
63	BRS	16	("4823283" "4862498" "4890257" "4896148" "5001697" "5119475" "5179653" "5208910" "5243697" "5263174" "5420975" "5535321" "5727129" "5742768" "6052676" "6160552").PN.	USPAT
64	BRS	6	("4752889" "5103498" "5608426" "5694594" "5696885" "5799292").PN.	USPAT
65	BRS	0	(345/811.ccls. and @ad<20010419) and ((change or update or vary) adj size) with (item or icon))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
66	BRS	0	(345/811.ccls. and @ad<20010419) and ((change or update or vary) with size) with (item or icon))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
67	BRS	2	(345/811.ccls. and @ad<20010419) and ((chang\$3 or updat\$3 or var\$5) with size) with (item or icon))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
68	BRS	2	(345/811.ccls. and @ad<20010419) and ((chang\$3 or updat\$3 or var\$5 or different) with size) with (item or icon))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
69	BRS	2	5619632.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
70	BRS	2	5420975.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
71	BRS	25	5420975.URPN.	USPAT
72	BRS	11	5420975.URPN. and (increase or decrease)	USPAT

	Type	Hits	Search Text	DBs
73	BRS	18	5420975.URPN. and (increase or decrease or enlarge or reduce)	USPAT
74	BRS	5	5420975.URPN. and ((increase or decrease or enlarge or reduce) with (size or area or space of font))	USPAT
75	BRS	3	("4688195" "4967190" "5067103").PN.	USPAT
76	BRS	0	((("4688195" "4967190" "5067103").PN.) and ((increase or decrease or enlarge or reduce) with (size or area or space of font)))	USPAT
77	BRS	902	((increase or decrease or enlarge or reduce) with (size or area or space of font) with (statistic or history or usage))	USPAT
78	BRS	841	((((increase or decrease or enlarge or reduce) with (size or area or space of font) with (statistic or history or usage))) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
79	BRS	37	(((((increase or decrease or enlarge or reduce) with (size or area or space of font) with (statistic or history or usage))) and @ad<20010419) and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
80	BRS	15	("4680729" "4692858" "5041967" "5115501" "5220675" "5261042" "5287514" "5465358" "5644737" "5644739" "5726688" "5760768" "5825357" "5867162" "5897670").PN.	USPAT
81	BRS	1	6232972.URPN.	USPAT
82	BRS	0	frequen\$3 with used with large2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
83	BRS	10678	frequen\$3 with used with large\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
84	BRS	157	(frequen\$3 with used with large\$2) and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
85	BRS	127	((frequen\$3 with used with large\$2) and 345.clas.) and @ad<20010419	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
86	BRS	17	((((frequen\$3 with used with large\$2) and 345.clas.) and @ad<20010419) and icon	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
87	BRS	20	("4692858" "4896291" "4931783" "5157384" "5189633" "5230063" "5231698" "5237653" "5241655" "5276794" "5303388" "5317687" "5345550" "5425140" "5452414" "5475810" "5500935" "5500936" "5528735" "5664133").PN.	USPAT
88	BRS	5	("4984152" "5079723" "5140677" "5148155" "5220675").PN.	USPAT
89	BRS	2615	"drop down menu"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
90	BRS	503	"drop down menu" and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
91	BRS	309	("drop down menu" and 345.clas.) and @ad<20010419	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
92	BRS	16	("4680729" "4692858" "5041967" "5115501" "5220675" "5261042" "5287514" "5465358" "5644737" "5644739" "5726688" "5757371" "5760768" "5825357" "5867162" "5897670").PN.	USPAT
93	BRS	7	("5146556" "5367624" "5398310" "5412776" "5414806" "5487143" "5604861").PN.	USPAT
94	BRS	2	5420975.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
95	BRS	25	5420975.URPN.	USPAT
96	BRS	6	5852440.URPN.	USPAT
97	BRS	542	345/853.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
98	BRS	469	345/853.ccls. and @ad<20010430	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
99	BRS	73	(345/853.ccls. and @ad<20010430) and ((remov\$4 or elimat\$4 or eras\$3) with (item or element or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
100	BRS	18	((345/853.ccls. and @ad<20010430) and ((remov\$4 or elimat\$4 or eras\$3) with (item or element or icon))) and ((us\$3 adj history) or frequency or history or tracking)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
101	BRS	143	((eliminat\$3 or remov\$4) with (icon or item) with tree)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
102	BRS	28	((eliminat\$3 or remov\$4) with (icon or item) with tree)) and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
103	BRS	18	((((eliminat\$3 or remov\$4) with (icon or item) with tree)) and 345.clas.) and @ad<20010430	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB